

# Earth Advantage® Points Worksheet

		Energy Efficiency	Healthier Indoor Air	Environmental Responsibility	Resource Efficiency
<b>Site Planning</b>					
<b>Land Use and Site Protection</b>					
<input type="checkbox"/>	<b>Develop Erosion Control Site Plan:</b> Post at job site	0	0	4	0
<input type="checkbox"/>	<b>Lot Size:</b> SF 10 units acre / MF 24 units acre of developable land	0	0	8	4
<input type="checkbox"/>	<b>Infill Lot:</b> Build home on open lot in existing neighborhood	0	0	4	2
<input type="checkbox"/>	<b>Protect Stockpiled Dirt and Topsoil</b>	0	0	4	0
<input type="checkbox"/>	<b>Preserve Existing Trees</b>	0	0	4	0
<input type="checkbox"/>	<b>Buffer along Natural Features</b>	0	0	6	0
<input type="checkbox"/>	<b>Protect Non-grading Areas</b>	0	0	2	0
<input type="checkbox"/>	<b>No Quick-Release Pesticides or Fertilizer</b>	0	0	4	0
<input type="checkbox"/>	<b>Utilities in Common Trench</b>	0	0	5	0
<b>Resource Efficient Design</b>					
<input type="checkbox"/>	<b>Size of House:</b> No larger than 2000 sq ft / 1500 sq ft	0	0	5 / 8	6 / 9
<input type="checkbox"/>	<b>Optimum Value Engineering Package</b>	0	0	2	4
<input type="checkbox"/>	<b>Bonus Room over Garage</b>	0	0	0	2
<input type="checkbox"/>	<b>Solar Heat (passive/solar orientation):</b> 50% of the windows face south or within 30° east/west of south. Requires thermal mass.	12	0	12	0
<input type="checkbox"/>	<b>Extended Eaves:</b> Minimum extension – 30"	3	0	0	2
<input type="checkbox"/>	<b>Photovoltaic (solar cells):</b> Resource efficient power (ODOE reqs)	20	0	12	0
<input type="checkbox"/>	<b>Alternative Construction System:</b> Points determined by analysis				
<b>Waste Management</b>					
<input type="checkbox"/>	<b>Waste Management Reduction Plan:</b> Developed & Implemented	0	0	6	6
<input type="checkbox"/>	<b>Recycle Jobsite Waste:</b> 80% minimum	0	0	6	7
<input type="checkbox"/>	<b>Building Materials Protected:</b> On jobsite	0	2	0	2
<b>Building Envelope and Systems</b>					
<b>Resource Efficient Foundation and Wall Systems</b>					
<b>Foundation Systems ENERGY STAR® starred measures applicable if building with that system</b>					
★	<b>Basement Walls:</b> R19 or better	1	0	0	0
<input type="checkbox"/>	<b>Foundation Walls:</b> Insulated concrete forms	0	0	2	3
<input type="checkbox"/>	<b>Concrete with Fly Ash:</b> (15% to 24% mix / 25% or greater mix)	0	0	2 / 4	2 / 4
★	<b>Slab Insulation:</b> Slab fully insulated (R10) - req. for radiant heat	3	5	0	0
<input type="checkbox"/>	<b>Slab on Grade</b>	0	5	0	0
<b>Wall Framing and Insulation (Code requires R21)</b>					
<input type="checkbox"/>	<b>Advanced Framing:</b> House-framing techniques	5	0	8	10
<input type="checkbox"/>	<b>Rigid Foam Exterior Insulation (R2.5 min)</b>	5	0	0	2
<input type="checkbox"/>	<b>Structural Insulated Panel System (SIPS):</b> Expanded polystyrene	9	0	4	5
<input type="checkbox"/>	<b>Spray-in-Place Foam Insulation:</b> Polyurethane, polyisocyanurate, & polyisocyanurate	4	4	2	3
<input type="checkbox"/>	<b>Insulated Concrete Forms System (ICFs)</b>	4	0	2	3
<input type="checkbox"/>	<b>Intermediate Framing:</b> Two stud corners, insulated headers	2	0	1	2
<input type="checkbox"/>	<b>Rainscreen Wall System:</b> Airspace under siding (min. 3/8")	0	2	2	4
<b>Attic Framing and Insulation ENERGY STAR requires minimum R38 for flat or vault</b>					
★	<b>Attic Insulation:</b> R38 vault	2	0	0	2
<input type="checkbox"/>	<b>Attic Insulation:</b> R49 flat	3	0	0	2
<input type="checkbox"/>	<b>Structural Insulated Panels – Attic/Roof:</b> R38 vault	7	0	2	3
<input type="checkbox"/>	<b>Spray-in-Place Foam Insulation:</b> R38 vault	4	2	1	2
<input type="checkbox"/>	<b>Energy Truss:</b> Raised heel or oversized truss (12" min. height)	2	0	0	4
<input type="checkbox"/>	<b>Plywood Sheathing:</b> Roofing deck	0	0	0	2
<b>Page 1 Points</b>					

	Energy Efficiency	Healthier Indoor Air	Environmental Responsibility	Resource Efficiency
<b>Floor Framing and Insulation</b>				
★ <b>Floor Insulation:</b> R30 Using cellulose, fiberglass, or other insulation	3	0	0	2
<input type="checkbox"/> <b>Spray-in-Place Foam Insulation:</b> R30	4	2	1	1
<input type="checkbox"/> <b>Joisted Floor System:</b> T/G Engineered decking w/joints sealed	0	4	0	2
<input type="checkbox"/> <b>Engineered Wood:</b> Flooring support system	0	0	2	2
<b>Shell Resource Efficient Measures</b>				
★ <b>Exterior Doors:</b> Steel and/or Fiberglass (R5 min) (One door up to 28 ft <sup>2</sup> exempt)	0	3	3	4
<input type="checkbox"/> <b>Kiln-Dried:</b> Framing materials or members	0	4	0	0
<input type="checkbox"/> <b>Finger-Jointed Lumber:</b> Studs, roofing members	0	0	2	6
<input type="checkbox"/> <b>Engineered Wood:</b> Wall sheathing	0	0	2	2
<input type="checkbox"/> <b>FSC Certified Wood:</b> Framing materials or members (25% - 100%)	0	0	4 - 12	4 - 12
<input type="checkbox"/> <b>Reclaimed/Recycled Structural Lumber:</b> Must be re-certified	0	0	4 - 12	4 - 12
<input type="checkbox"/> <b>Recycled Content Insulation:</b> Cellulose or Cotton	0	6	6	6
<input type="checkbox"/> <b>Fiberglass Insulation:</b> Formaldehyde-free	0	6	0	0
<input type="checkbox"/> <b>Outdoor Decking:</b> Framing lumber (non CCA or ACA type)	0	0	3	3
<input type="checkbox"/> <b>Outdoor Decking:</b> Plastic lumber for top (recycled content)	0	0	3	3
<b>Infiltration / Air Sealing</b> ENERGY STAR Required Measure (Earth Advantage measure: required)				
★ <b>House Tightening Measures:</b> Tightening dwelling to meet 7.0 ACH for Gas and HP home at 50 Pa	10	8 - 14	0	2
<input type="checkbox"/> <b>Detached Garage:</b> Prevents potential house pollution from garage	0	8	0	0
<input type="checkbox"/> <b>Exhaust Fan for Attached Garage:</b> On timer or passive control	0	3	0	0
<b>Exterior Surfaces</b>				
<input type="checkbox"/> <b>FSC Certified Wood:</b> Siding (50% - 100%)	0	0	6 - 12	6 - 12
<input type="checkbox"/> <b>Fiber Cement Siding</b> (50 yr. warranty)	0	0	4	6
<input type="checkbox"/> <b>Masonry Siding:</b> Brick, stone, cultured stone, block, stucco	0	0	4	6
<input type="checkbox"/> <b>Exterior Paint:</b> Lifetime warranty - low VOC (150/gpl or lower)	0	0	4	8
<input type="checkbox"/> <b>Exterior Paint/Stain:</b> Low VOC (150/gpl or lower)	0	0	4	0
<input type="checkbox"/> <b>Green Seal Certified Paint:</b> Additional points to paint measures	0	0	4	0
<input type="checkbox"/> <b>Exterior Paint:</b> Recycled content	0	0	12	10
<b>Roofing</b>				
<input type="checkbox"/> <b>Eco-Roof:</b> Vegetated / green roof	0	0	6	2
<input type="checkbox"/> <b>FSC Certified Wood:</b> Structural & Sheathing (25 - 100%)	0	0	4 - 12	4 - 12
<input type="checkbox"/> <b>Metal Cladding:</b> Steel	0	0	6	10
<input type="checkbox"/> <b>Roofing Tile:</b> Cement or Clay	0	0	6	10
<input type="checkbox"/> <b>Composition:</b> 40 year or greater warranty	0	0	0	6
<input type="checkbox"/> <b>Shingle:</b> Composite material	0	0	0	4
<input type="checkbox"/> <b>Elastomeric or Rubberized Sheet:</b> For flat roof only	0	0	0	2
<b>Windows</b> ENERGY STAR/Earth Advantage Required Measures Note: Window area can be up to 21% of the Heated Floor Area				
<b>High Efficient</b> (must have U-value of .35 or better) (Earth Advantage measure: choose one)				
<input type="checkbox"/> <b>Composite or Wood with clad exterior</b>	10	4	2	6
<input type="checkbox"/> <b>Wood</b>	10	4	2	0
★ <b>Vinyl</b>	10	0	0	4
<b>Super Efficient</b> (must have U-value of .30 or better)				
<input type="checkbox"/> <b>Composite or Wood with clad exterior</b>	16	4	2	6
<input type="checkbox"/> <b>Wood</b>	16	4	2	0
<input type="checkbox"/> <b>Vinyl</b>	16	0	0	4
<b>Skylight</b> (code is U-value .50 or better)				
★ <b>Skylight</b> (Skylight area shall not exceed 5% of heated floor area)	0	0	0	2
<b>Fireplace</b> (All combustion systems within the conditioned space must have their own fresh air inlets)				
<input type="checkbox"/> <b>Gas Fireplace:</b> Sealed combustion w/electronic ignition (EI)	2	4	0	0
<input type="checkbox"/> <b>Gas Fireplace:</b> Sealed combustion w/EI & integrated HRV/ERV	4	6	0	0
<input type="checkbox"/> <b>Electric Flame Fireplace</b>	0	6	2	0
<b>Page 2 Points</b>				

	Energy Efficiency	Healthier Indoor Air	Environmental Responsibility	Resource Efficiency
<b>High Efficiency Heating and Cooling Equipment</b>				
★ <b>Forced Air Gas:</b> .90 AFUE EF furnace	17	0	0	4
★ <b>Heat Pump:</b> FAE-Split System – min HSPF 8.0 & SEER 13	10	0	0	4
★ <b>Air Conditioner:</b> 13 SEER (additional points for higher SEER)	4	0	0	0
□ <b>Heat Pump:</b> Geothermal	24	0	12	14
□ <b>Boiler:</b> Integrated system – .82 EF min, ODOE specifications	15	0	2	6
□ <b>Alternative Heating/Cooling System:</b> Points by analysis				
<b>Ductwork</b> (Earth Advantage measures: choose one) Max leak <.06 CFM per ft <sup>2</sup> of floor <b>OR</b> 75 CFM total @ 50 pa				
★ <b>Ductwork in Heated Space:</b> Gas system	26	8	0	4
★ <b>Ductwork in Heated Space:</b> HP system	21	8	0	4
★ <b>Performance Tested Ducts w/WB Mastic:</b> Gas (Duct R8)	20	6	0	4
★ <b>Performance Tested Ducts w/WB Mastic:</b> HP system (Duct R8)	10	6	0	4
□ <b>Whole System Sealed w/WB Mastic:</b> Gas system (Duct R8)	20	4	0	2
□ <b>Whole System Sealed w/WB Mastic:</b> HP system (Duct R8)	10	4	0	2
<b>Additional Ductwork Measures</b> (Earth Advantage measure: required)				
□ <b>Protect Duct Vents:</b> Cover supply/return vents during construction	0	2	0	0
□ <b>Pre-fabricated Sealed Boot:</b> Boot hanger with integral foam gasket	0	2	0	2
□ <b>Gas - No Forced-Air Heating System:</b> No ductwork	25	10	0	0
□ <b>Electric - No Forced-Air Heating System:</b> No ductwork	14	10	0	0
<b>Ventilation</b> Please contact your ENERGY STAR/Earth Advantage Consultant for assistance selecting the best option				
<b>Whole House Ventilation</b> (Earth Advantage measure: choose one)				
★ <b>Premium Package:</b> Heat or Energy Recovery Ventilator	11	18	0	0
★ <b>Mid-Range Package:</b> Fresh-air intake direct into the return system	0	12	0	0
★ <b>Basic Package:</b> Must have fresh air intake and exhaust in house	0	6	0	0
<b>Lighting, Appliances and Water Heating</b>				
<b>Lighting</b> (ENERGY STAR measure - Energy points will vary by number and type of bulbs installed)				
★ <b>Lighting Package:</b> 50% or more of lighting sockets are ENERGY STAR fluorescent lighting technology	5	0	5	5
<b>Lighting</b> (Earth Advantage measure: choose one)				
<b>Energy Efficient Lamp Fixture Descriptions:</b> Dedicated equals hard-wired or pronged fixtures; T8s, T5s, T2s and CFLs. Fixtures must be in high use areas (four [4] hours or more per day), examples are kitchen, bathroom, hallway or family room. Point value is dependant upon selected combination of fixtures. Two screw-base bulbs can take the place of one (1) only dedicated fixture.				
□ <b>Option 1:</b> Three dedicated fixtures (2 inside & 1 outside)	3	0	3	3
□ <b>Option 2:</b> Four dedicated fixtures (all inside)	4	0	4	4
List the type, location and number of fixtures:				
□ <b>Bathroom Light &amp; Fan Combo:</b> Low-sone fan with fluorescent lamp	2	2	4	2
□ <b>Bath Fan:</b> Low-sone sized per manufacturer specifications or larger	0	2	0	0
□ <b>Fan Timer:</b> Bath and/or kitchen	0	2	0	2
□ <b>Smooth Metal Piping:</b> For exhaust bath fan	0	2	0	0
□ <b>Recessed Can:</b> Sealed to Sheetrock	0	3	0	0
□ <b>No Can Lights Installed in Insulated Ceiling</b>	0	4	0	0
□ <b>Lighting Controls:</b> Dimmer(s) for high use area <b>Number:</b>	1 each	0	0	1 each
□ <b>Lighting Controls:</b> Occupancy sensor(s) <b>Number:</b>	1 each	0	0	1 each
□ <b>Solar Powered Outdoor Lighting:</b> Pathway/Area lighting (5 units)	2	0	1	2
<b>Appliances</b> (ENERGY STAR requires that all built-in appliances must be ENERGY STAR rated and labeled) (Earth Advantage measure: choose one)				
□ <b>Dishwasher – Premium Efficiency:</b> Meet ODOE specs	3	0	2	2
★ <b>Dishwasher – Energy Efficient:</b> Meet ENERGY STAR specs	1	0	1	1
□ <b>Clothes Washer – Premium Efficiency:</b> Meet ODOE specs	4	0	6	4
□ <b>Clothes Washer – Energy Efficient:</b> Meet ENERGY STAR spec	2	0	3	2
□ <b>Refrigerator – Premium Efficiency:</b> Meet ODOE specs	2	0	2	2
□ <b>Refrigerator – Energy Efficient:</b> Meet ENERGY STAR specs	1	0	1	1
<b>Page 3 Points</b>				

	Energy Efficiency	Healthier Indoor Air	Environmental Responsibility	Resource Efficiency
<b>Water Heating</b> (Earth Advantage measure: choose one)				
All combustion systems within the conditioned space must have their own fresh air vent				
<input checked="" type="checkbox"/> <b>Gas High Efficiency:</b> 60 gal. or less - .61 EF, 61 gal. or more - .60 EF	6	0	0	2
<input checked="" type="checkbox"/> <b>Electric High Efficiency:</b> .93 EF	3	0	0	2
<input type="checkbox"/> <b>Lifetime Electric High Efficiency:</b> .93 EF	3	0	0	4
<input type="checkbox"/> <b>Instantaneous Gas:</b> Whole house tankless system, ODOE specs	15	0	8	2
<input type="checkbox"/> <b>Solar Hot Water System:</b> ODOE specs	12	0	12	0
<input type="checkbox"/> <b>Water Heater Heat Pump:</b> ODOE specs	20	0	8	6
<input type="checkbox"/> <b>Boiler:</b> Integrated system – .82 EF, ODOE specs	10	0	0	2
<b>Optional Additional Water Heating Measures</b>				
<input type="checkbox"/> <b>Waste Water Heat Recovery System:</b> GFX (30 or 60)	5 / 7	0	2 / 4	2
<input type="checkbox"/> <b>Solar Hot Water:</b> Pre-plumbed piping for future hookup	0	0	4	4
<b>Indoor Air Quality</b>				
<b>Air Quality Measures</b>				
<b>Project Wide Air Quality Measures</b>				
<input type="checkbox"/> <b>Framing Lumber Moisture Test:</b> 19% or lower throughout project	0	4	0	4
<input type="checkbox"/> <b>Hardwired Carbon Monoxide (CO) Monitor</b>	0	2	0	0
<input type="checkbox"/> <b>Adhesives and Caulking:</b> Low- or Non-VOC content (150 gpl or less)	0	4	0	0
<input type="checkbox"/> <b>Humidity Control:</b> Humidistat / Dehumidifier or approved system	0	10	0	2
<input type="checkbox"/> <b>Air Filter:</b> 30% Media (4" – 6" pleated high efficiency disposable)	0	6	0	0
<input type="checkbox"/> <b>Air Filter:</b> Electronic	0	2	0	4
<input type="checkbox"/> <b>Air Filter:</b> HEPA (added to HVAC system)	0	12	0	0
<input type="checkbox"/> <b>Central Vacuum:</b> Install and vent to exterior of conditioned space	0	6	0	0
<input type="checkbox"/> <b>Central Vacuum:</b> Provide rough-in for future use only	0	0	0	4
<b>Interior Surface Coatings</b> (Earth Advantage measure: choose one)				
<input type="checkbox"/> <b>Latex Paint:</b> Low VOC (150 grams per liter or less)	0	6	2	0
<input type="checkbox"/> <b>Latex Paint:</b> Ultra-low VOC content (50 grams per liter or less)	0	8	4	0
<input type="checkbox"/> <b>Latex Paint:</b> Non-VOC content	0	10	6	0
<input type="checkbox"/> <b>Natural Paint:</b> No d-Limonene content	0	10	8	2
<input type="checkbox"/> <b>Green Seal Certified Paint:</b> Additional points to above measures	0	0	4	0
<input type="checkbox"/> <b>Stain/Sealer:</b> Low VOC (150 grams per liter or less)	0	6	2	0
<input type="checkbox"/> <b>Recycled Content Paint</b>	0	0	10	10
<b>Resource Efficient Building Materials</b>				
<b>Cabinets</b> (Points can vary on percentage of product used)				
<input type="checkbox"/> <b>Natural Wood:</b> Door and face-frame	0	2	1	1
<input type="checkbox"/> <b>FSC Certified Wood:</b> Door and face-frame	0	4	4	4
<input type="checkbox"/> <b>Reclaimed Wood:</b> Door and face-frame	0	4	4	4
<input type="checkbox"/> <b>Plywood:</b> Base cabinet	0	2	4	2
<input type="checkbox"/> <b>Hardboard/MDF/Agriboard:</b> Base cabinet (formaldehyde-free)	0	6	6	4
<input type="checkbox"/> <b>Sealed Chipboard:</b> Melamine and sealer used on exposed areas	0	2	0	2
<input type="checkbox"/> <b>Recycling Center:</b> Minimum 2 major receptacles in living area	0	0	4	4
<b>Countertops</b> (Points can vary on percentage of product used in that system)				
<input type="checkbox"/> <b>Tile</b>	0	4	2	4
<input type="checkbox"/> <b>Stone</b>	0	4	4	4
<input type="checkbox"/> <b>Solid Surface</b>	0	4	6	6
<input type="checkbox"/> <b>Underlayment Sealed:</b> Plastic laminate	0	2	0	2
<b>Page 4 Points</b>				

		Energy Efficiency	Healthier Indoor Air	Environmental Responsibility	Resource Efficiency
<b>Casework</b>					
<input type="checkbox"/>	<b>FSC Certified Wood</b>	0	6	8	6
<input type="checkbox"/>	<b>Reclaimed Wood</b>	0	6	8	6
<input type="checkbox"/>	<b>Finger-Jointed</b>	0	2	2	2
<input type="checkbox"/>	<b>MDF or MDF-Formaldehyde-free</b>	0	0 / 4	6	4
<b>Flooring (Finished level)</b>					
<input type="checkbox"/>	<b>FSC Certified Wood</b>	0	5	8	6
<input type="checkbox"/>	<b>Reclaimed Wood</b>	0	5	8	6
<input type="checkbox"/>	<b>Solid Wood</b>	0	5	1	4
<input type="checkbox"/>	<b>Concrete:</b> Finished surface (silicone sealed)	0	5	4	6
<input type="checkbox"/>	<b>Tile, Brick, or Stone</b>	0	5	4	6
<input type="checkbox"/>	<b>Natural Linoleum</b>	0	8	8	6
<input type="checkbox"/>	<b>Bamboo</b>	0	5	2	6
<input type="checkbox"/>	<b>Cork</b>	0	8	2	6
<input type="checkbox"/>	<b>Carpet:</b> Wool	0	2	4	4
<input type="checkbox"/>	<b>Carpet:</b> Recycled poly (PET)	0	0	4	6
<input type="checkbox"/>	<b>Carpet:</b> Carpet & Rug Institute (CRI) Green Label – Additional points	0	2	0	0
<input type="checkbox"/>	<b>Underlayment:</b> OSB, MDF, Ext plywood (sealed / formaldehyde-free)	0	5	2	2
<b>Indoor Water</b>					
<input type="checkbox"/>	<b>Water Efficient Showerhead:</b> 2 gpm or less	3	0	1	3
<input type="checkbox"/>	<b>Water Efficient Lavatory Faucet:</b> 1.5 gpm or less	1	0	0	3
<input type="checkbox"/>	<b>Super Water Efficient Lavatory Faucet:</b> 0.5 gpm or less	2	0	0	3
<input type="checkbox"/>	<b>Water Efficient Kitchen Faucet:</b> 1.5 gpm or less	1	0	0	3
<input type="checkbox"/>	<b>Water Efficient Laundry Room Faucet:</b> 2.0 gpm or less	1	0	0	3
<input type="checkbox"/>	<b>Refrigerator:</b> Through the door water and ice unit	0	0	0	2
<input type="checkbox"/>	<b>Super-Efficient Toilet:</b> 1.2 gpf or lower on average	0	0	0	6
<input type="checkbox"/>	<b>Passive or On-Demand Faucet Hot Water Delivery System</b>	0	0	0	4
<input type="checkbox"/>	<b>Instant Hot Water Unit:</b> Under sink unit	0	0	0	2
<input type="checkbox"/>	<b>Water Filter:</b> Charcoal cartridge	0	0	2	1
<b>Outdoor Water and Landscaping</b>					
<input type="checkbox"/>	<b>Water-Wise Landscape Plan:</b> Eight basic principles followed: Group plants, native and low-water use plants, limit turf, efficient irrigation, schedule irrigation, healthy soil, mulch, maintenance program	0	0	7	5
<input type="checkbox"/>	<b>Landscape and Irrigation Water Audit:</b> Provide homeowner	0	0	3	3
<input type="checkbox"/>	<b>Stormwater Control:</b> Bio-retention system onsite	0	0	10	10
<input type="checkbox"/>	<b>Onsite Infiltration System:</b> For roof drains	0	0	12	0
<input type="checkbox"/>	<b>Pervious Surface:</b> Pervious surface area more than 65% of lot	0	0	9	0
<input type="checkbox"/>	<b>Soil Amendment:</b> 2" soil amendment tilled to 6" depth	0	0	4	3
<input type="checkbox"/>	<b>Mulch:</b> 2-3" minimum around plants	0	0	3	2
<input type="checkbox"/>	<b>Limited Turf:</b> 40% / 25% of developed landscape covered by turf	0	0	5 / 10	4 / 8
<input type="checkbox"/>	<b>Eco-Lawn Turf Mix:</b> Native bentgrass and annual bluegrass mix	0	0	6	4
<input type="checkbox"/>	<b>Low Water-Use Plants</b>	0	0	6	4
<input type="checkbox"/>	<b>One Tree per 1000 sq ft:</b> Of developed landscape area	0	0	6	0
<input type="checkbox"/>	<b>Install On-site Storage for Rainwater</b>	0	0	4	2
<input type="checkbox"/>	<b>Automatic Irrigation Shut-off Device:</b> Remotely controlled	0	0	4	6
<input type="checkbox"/>	<b>Low-volume Irrigation System:</b> For plants	0	0	4	6
<b>Earth Advantage Bonus Measures (Points for process or measure determined by Earth Advantage Team analysis)</b>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<b>Page 5 Points</b>					
<b>Total Earth Advantage Worksheet Points</b>					